

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 18/11/2020 Revision date: 19/08/2021 Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form Product name UFI Product code	: Mixture : Cleanline Ultra Disinfectant Concentrate : F9AJ-903M-9003-0WTH : CL4069
1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Cleaning product
1.2.2. Uses advised against	

Restrictions on use

: Anything other than intended use as listed on the label.

## 1.3. Details of the supplier of the safety data sheet

Supplier	Supplier
Prime Source	Prime Source
PO Box 15247	Unit D9
Birmingham	Horizon Logistics Park
B23 3HN	Co. Dublin
UK	K67 N4T2
Tel: 08085 749312	Ireland
E-mail: info@prime-source.co.uk	Tel: +353 (0)1 630 1800
	Email: info@prime-source.co.uk

#### 1.4. Emergency telephone number

Emergency number

: +44 (0) 1865 407 333 24 hour - Medical Emergency Only

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H-statements: see section 16	


### Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements



No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	≥ 1 – < 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
didecyldimethylammonium chloride	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2 (EC Index-No.) 612-131-00-6	≥ 1 – < 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Potassium Carbonate	(CAS-No.) 584-08-7 (EC-No.) 209-529-3	≥ 1 – < 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	≥ 1 – < 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>Call a physician immediately.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.</li> </ul>	
First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> <li>Rinse mouth. Do not induce vomiting. Call a physician immediately.</li> </ul>	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul><li>Burns.</li><li>Serious damage to eyes.</li><li>Burns.</li></ul>	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures :	Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up Other information	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions Incompatible products Special rules on packaging	<ul> <li>Store locked up. Store in a well-ventilated place. Keep cool.</li> <li>Strong acids. Oxidizing agent. Strong bases.</li> <li>Store in a closed container. Keep only in original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection	
8.1. Control parameters	
isopropanol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	999 mg/m³
WEL TWA (ppm)	400 ppm
WEL STEL (mg/m³)	1250 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:
Chemical resistant gloves (according to European standard EN 374 or equivalent)
Eye protection:

Use eye protection according to EN 166. Safety glasses

### Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **Respiratory protection:**

Not required for normal conditions of use

## Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

A risk assessment should be carried out prior to use to determine the exposure risk to the chemical. Specific work environments and material handling practices may vary; therefore, safety procedures should be developed and PPE selected for each intended application. Consultation with PPE supplier/manufacturer will help determine suitability as protection time cannot be accurately estimated for mixtures (such as glove breakthrough time). PPE should be worn to prevent any contact with the chemical. Any contaminated clothing should be washed prior to re-use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pН	: > 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 68 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.02 – 1.04
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density Density Solubility Partition coefficient n-octanol/water (Log Pow) Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidising properties	<ul> <li>No data available</li> <li>68 °C</li> <li>No data available</li> <li>1.02 - 1.04</li> <li>No data available</li> </ul>

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inf	ormation	
11.1. Information on toxicological	effects	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified	

2-aminoethanol; ethanolamine (141-43-5)		
LD50 oral rat	1720 mg/kg	
LD50 dermal rabbit	1025 mg/kg	

didecyldimethylammonium chloride (7173-51-5)		
LD50 oral rat	329 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))	

isopropanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	pH: > 11.5 : Causes serious eye damage.
	pH: > 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term	<ul><li>: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.</li><li>: Very toxic to aquatic life.</li></ul>

(acute)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects. (chronic)

2-aminoethanol; ethanolamine (141-43-5)		
LC50 fish 1	349 mg/l Cyprinus carpio (Common carp)	
LC50 fish 2	170 mg/l Carassius auratus (Goldfish)	
LC50 other aquatic organisms 1	227 mg/l Pimephales promelas (Fat-head Minnow)	
LC50 other aquatic organisms 2	3684 mg/l Brachydanio rerio (Zebra Fish)	
EC50 Daphnia 1	65 mg/l	
EC50 72h algae (1)	2.5 mg/l Selenastrum capricornutum	
EC50 72h algae (2)	22 mg/l Scenedesmus subspicatus	
EC50 96h algae (1)	2.8 mg/l Pseudokirchneriella subcapitata	

didecyldimethylammonium chloride (7173-51-5)		
LC50 fish 1	0.97 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
LC50 fish 2	0.49 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 Daphnia 2	0.029 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic)	0.047 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.021 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic crustacea	0.021 mg/l Test organisms (species): Daphnia magna	

isopropanol (67-63-0)		
LC50 fish 1	10000 mg/l Test organisms (species): Pimephales promelas	
LC50 fish 2	9640 mg/l Test organisms (species): Pimephales promelas	

## 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Wash packaging with a suitable cleaner (water) before recycling. Otherwise dispose of as contaminated packaging. Always dispose of packaging in accordance with local regulations.</li> </ul>
European List of Waste (LoW) code	<ul> <li>20 01 29* - detergents containing dangerous substances</li> <li>15 01 10* - packaging containing residues of or contaminated by dangerous substances</li> </ul>

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1903	UN 1903	UN 1903	UN 1903	UN 1903
14.2. UN proper shippin	g name			
DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2- aminoethanol; ethanolamine ; didecyldimethylammonium chloride)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2- aminoethanol; ethanolamine; didecyldimethylammonium chloride)	Disinfectant, liquid, corrosive, n.o.s. (2- aminoethanol; ethanolamine ; didecyldimethylammonium chloride)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2- aminoethanol; ethanolamine ; didecyldimethylammonium chloride)	DISINFECTANT, LIQUID CORROSIVE, N.O.S. (2- aminoethanol; ethanolamine ; didecyldimethylammonium chloride)
Transport document descr	iption		I	
UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2-aminoethanol; ethanolamine ; didecyldimethylammonium chloride), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2-aminoethanol; ethanolamine; didecyldimethylammonium chloride), 8, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1903 Disinfectant, liquid, corrosive, n.o.s. (2- aminoethanol; ethanolamine ; didecyldimethylammonium chloride), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (2-aminoethanol; ethanolamine ; didecyldimethylammonium chloride), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1903 DISINFECTANT LIQUID, CORROSIVE, N.O.S. (2-aminoethanol; ethanolamine; didecyldimethylammonium chloride), 8, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o				
8	8	8	8	8
14.4. Packing group			Ι	
	III	III	Ш	111
14.5. Environmental haz	ards		<u>.</u>	
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary informatio	n available		·	
4.6. Special precaution	s for user			
overland transport				
Elassification code (ADR) pecial provisions (ADR) imited quantities (ADR) xcepted quantities (ADR) acking instructions (ADR) lixed packing provisions (AD ank code (ADR) 'ehicle for tank carriage ransport category (ADR)		01, IBC03, LP01, R001 19		

80

1903

: 80

:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B
Transport by sea	
Special provisions (IMDG)	: 223, 274
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: A wide variety of corrosive liquids. Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C9
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C9
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### Full text of H- and EUH-statements: Acute Tox. 4 (Dermal) Acute toxicity (dermal), Category 4 Acute Tox. 4 (Inhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Inhalation:dust,mist) Acute toxicity (inhalation:dust,mist) Category 4 Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flammable liquids, Category 2 Flam. Liq. 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation STOT SE 3 Specific target organ toxicity - Single exposure, Category 3, Narcosis H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.